

according to 1907/2006/EC, Article 31

Printing date 29.01.2021 Version number 2 Revision: 29.01.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name LECA GEO (0-2mm; 1-5mm; 4-8mm; 8-16mm) rund und/oder gebrochen

Safety data sheet no.: Raw00873-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Fibo ExClay Deutschland GmbH

Rahdener Str. 1 21769 Lamstedt

Tel. 0049 4773 896 0 Fax 0049 4773 896 133 Email vertrieb@fiboexclay.de

1.4 Emergency telephone number: Telefon: +49(0)6131-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

2.3 Other hazards

Results of PBT and vPvB assessment PBT: Does not contain PBT substances. vPvB: Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures Description: inert ceramic product (fired clay)

Dangerous compo	nents:	
	Silicon dioxide (Quartz sand) substance with a Community workplace exposure limit	50-75%
CAS: 1344-28-1 EINECS: 215-691-6	aluminium oxide substance with a Community workplace exposure limit	10-20%
CAS: 1332-37-2 EINECS: 215-570-8	Iron oxide substance with a Community workplace exposure limit	5-10%

SVHC Void

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Immediately remove any clothing soiled by the product.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Generally the product does not irritate the skin.

(Contd. on page 2)



according to 1907/2006/EC, Article 31

Printing date 29.01.2021 Version number 2 Revision: 29.01.2021

Trade name LECA GEO (0-2mm; 1-5mm; 4-8mm; 8-16mm) rund und/oder gebrochen

(Contd. of page 1)

After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

Use fire extinguishing methods suitable to surrounding

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment: Use methods suitable to surrounding conditions.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Avoid formation of dust.

- **6.2 Environmental precautions:** No special measures required.
- **6.3 Methods and material for containment and cleaning up:** Pick up mechanically.
- **6.4 Reference to other sections** See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Prevent formation of dust.

Provide suction extractors if dust is formed.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Insure sufficient ventilation for storage and work areas.

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Revision: 29.01.2021 Printing date 29.01.2021 Version number 2

Trade name LECA GEO (0-2mm; 1-5mm; 4-8mm; 8-16mm) rund und/oder gebrochen

(Contd. of page 2)

Ingredients with limit v	values that requ	iire monitoring at	the workplace:
--------------------------	------------------	--------------------	----------------

Ingredients with limit values that require monitoring at the workplace:			
CAS No. Designation	••		
CAS: 14808-60-7 Silicon	,		
,	Long-term value: 0.1* mg/m³ *respirable fraction		
MAK (Germany)	alveolengängige Fraktion		
GV (Denmark)	Long-term value: 0.3* 0.1** mg/m³ *total;**total, respirabel, K		
LEP (Spain)	Long-term value: 0.05 mg/m³ *Fracción resp:n,d,y		
TWA (Italy)	Long-term value: 0.025 mg/m³ A2, (j)		
VLE (Portugal)	Long-term value: 0.025 mg/m³ Resp.;A2; fibrose pulmonar; cancro do pulmão		
OEL (Sweden)	Long-term value: 0.1 mg/m³ C, M, respirabel fraktion		
HTP (Finland)	Long-term value: 0.05 0.1* mg/m³ alveolijae;*sitovat raja-arvot, pöly		
CAS: 1344-28-1 aluminiu	um oxide		
AGW (Germany)	Long-term value: 1.25* 10** mg/m³ 2(II);*alveolengängig**einatembar; AGS, DFG		
GV (Denmark)	Long-term value: 5* 2** mg/m³ som Al, *total; **respirabel		
LEP (Spain)	Long-term value: 10 mg/m³		
TWA (Italy)	Long-term value: 10 mg/m³ A4 (e)		
VLE (Portugal)	Long-term value: 1 mg/m³ respirável;A4,Pneumoconiose,Irritação TRI,em Al		
OEL (Sweden)	Long-term value: 5* 2** mg/m³ som Al; *totaldamm **respirabelt damm		
CAS: 1332-37-2 Iron oxid	de		
GV (Denmark)	Long-term value: 1 mg/m³ som Fe		
LEP (Spain)	Long-term value: 1 mg/m³ c, como Fe		
VLE (Portugal)	Long-term value: 1 mg/m³ em Fe; Irritação do TRS e cutânea		
HTP (Finland)	Long-term value: 1 mg/m³ Fe		

Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not eat or drink while working.

Immediately remove all soiled and contaminated clothing.

(Contd. on page 4)



according to 1907/2006/EC, Article 31

Version number 2 Printing date 29.01.2021 Revision: 29.01.2021

Trade name LECA GEO (0-2mm; 1-5mm; 4-8mm; 8-16mm) rund und/oder gebrochen

(Contd. of page 3)

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Short term filter device:

Filter P2.

Protection of hands:

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Breakthrough time: > 480 min Value for the permeation: Level ≤ 6

The exact breaktrough time has to be found out by the manufacturer of the protective gloves and

has to be observed.

Eye protection: Not required.

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

SECTION 3. Physical and chemical properties			
9.1 Information on basic physical and che General Information Appearance:	mical properties		
Form:	Solid.		
Colour:	According to product specification		
Odour:	Odourless		
Odour threshold:	Not determined.		
pH-value at 20 °C:	7 - 10 In water		
Change in condition Melting point/freezing point: Initial boiling point and boiling range:	1100-1150 ° C Undetermined.		
Flash point:	Not applicable		
Ignition temperature:	Not determined.		
Decomposition temperature:	Not determined.		
Auto-ignition temperature:	Product is not selfigniting.		
Explosive properties:	Product does not present an explosion hazard.		
Explosion limits:			
Lower:	Not determined.		
Upper:	Not determined.		
Oxidising properties	Not determined.		
Vapour pressure:	Not applicable.		

(Contd. on page 5)



according to 1907/2006/EC, Article 31

Printing date 29.01.2021 Version number 2 Revision: 29.01.2021

Trade name LECA GEO (0-2mm; 1-5mm; 4-8mm; 8-16mm) rund und/oder gebrochen

		(Contd. of pag
Density:		
Bulk density:	320 -700 kg/m³	
Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Unsoluble	
Segregation coefficient (n-octanol/	water) log	
Pow:	Not determined.	
Viscosity:		
dynamic:	Not determined.	
kinematic:	Not determined.	
Solvent separation test:	Not applicable.	
Solvent content:	• • • • • • • • • • • • • • • • • • • •	
Organic solvents:	0.0 %	
EU-VOC (%)	0.00 %	
EU-VOC (g/L)	0.0 g/l	
Solids content:	100.0 %	
9.2 Other information	None.	

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Additional toxicological information:

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

- EUC



according to 1907/2006/EC, Article 31

Printing date 29.01.2021 Version number 2 Revision: 29.01.2021

Trade name LECA GEO (0-2mm; 1-5mm; 4-8mm; 8-16mm) rund und/oder gebrochen

(Contd. of page 5)

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

Other information: The product is not easily biodegradable.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Ecotoxical effects:

Remark: The product contains substances which causes severe clouding in water

Additional ecological information:

General notes: Not known to be hazardous to water.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Smaller quantities can be disposed of with household waste.

European waste catalogue

Possible waste code. The concrete waste code depends on the source of the waste.

17 09 04 mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03

Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled

after thorough and proper cleaning.

Recommended cleaning agent:

Thoroughly shake out sacks.

Water, if necessary together with cleansing agents.

SECTION 14: Transport information 14.1 UN-Number ADR, ADN, IMDG, IATA Void 14.2 UN proper shipping name ADR, ADN, IMDG, IATA Void 14.3 Transport hazard class(es) ADR, ADN, IMDG, IATA **Class** Void 14.4 Packing group ADR, IMDG, IATA Void 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Not applicable.

(Contd. on page 7)



according to 1907/2006/EC, Article 31

Printing date 29.01.2021 Version number 2 Revision: 29.01.2021

Trade name LECA GEO (0-2mm; 1-5mm; 4-8mm; 8-16mm) rund und/oder gebrochen

(Contd. of page 6)

14.7 Transport in bulk according to An	nex II				
of Marpol and the IBC Code	Not applicable.				
Transport/Additional information:	Not dangerous specifications.	according	to	the	above
UN "Model Regulation":	Void				

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: Quality control

Contact: Mr. Kunze

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.